

Dressing	Sizes	Category	Indication	Recommended duration of use	Drug Tariff £ Unit Price/box (Sep 2023)	Pack size
Clinistretch®	6cm x 6m	Cohesive short stretch bandages	Cohesive Short Stretch Conforming Bandage	3 days	£3.01/£3.01	1
	8cm x 6m				£3.46/£3.46	1
	10cm x 6m				£3.59/£3.59	1
Coban 2 Comfort Foam Layer® (layer #1)	5cm x 1.2m	Compression bandages (Layer #1)	Lymphoedema, chronic oedema, venous leg ulcers.	Up to 7 days	£2.99/£2.99	1
	10cm x 3.5m				£7.81/£7.81	1
	15cm x 3.5m				£11.87/£11.87	1
Coban 2 Compression layer® (Layer #2)	5cm x 2.7m	Compression bandages (Layer #2)	Lymphoedema, chronic oedema, venous leg ulcers.	Up to 7 days	£1.50/£1.50	1
	10cm x 4.5m				£5.03/£5.03	1
	15cm x 4.5m				£7.49/£7.49	1
Coban 2 Lite Comfort Foam Layer® (layer #1)	7.5cm x 2.7m	Compression bandages (Layer #1)	For patients who cannot tolerate full compression. Palliate use.	Up to 7 days	£4.92/£4.92	1
	10cm x 2.7m				£6.10/£6.10	1
	15cm x 2.7m				£9.20/£9.20	1
Coban 2 Lite Compression Layer® (layer #2)	2.5cm x 3.5m	Compression bandages (Layer #2)	For patients who cannot tolerate full compression. Palliate use.	Up to 7 days	£2.35/£2.35	1
	7.5cm x 3.5m				£3.74/£3.74	1
	10cm x 3.5m				£4.81/£4.81	1
	15cm x 3.5m				£6.52/£6.52	1
Cutimed Debriclean®	9cm x 13cm	Wound bed preparation (2 nd line for debridement)	Debridement pad has looped monofilament fibres & abrasive fibres that absorb bacteria & slough. Particular for skin conditions associated with Lymphoedema.	One use only	£4.77/£23.85	5
Cutimed Sorbact Swab®	4cm x 6cm	Antimicrobial dressing	Wound bed management, infection management. exudate management and tissue management	Safe to be used for prolonged time	£1.79/£8.95	5

Cutimed sorbact Ribbon®	2cm x 50cm	For cavities and fistulas	DACC Technology. Antimicrobial, bind bacteria and fungi under moist wound conditions. Can be used in-between digits, fungal infections of the groin, skin folds.	Duration dependent to what it is being used for.	£4.37/£87.40	20
Cutimed Sorbion Sachet S®	10cm x 10cm 10cm x 20cm 15cm x 15cm 20cm x 20cm 20cm x 30cm	Exudate management	Hydration response, debridement, removes slough and bacterial load.	Up to 4 days	£1.61/£16.10 £2.16/£21.60 £3.19/£31.90 £3.78/£37.80 £5.41/£54.10	10 10 10 10 10
Cutimed Sorbion Sachet Extra®	10cm x 10cm 10cm x 20cm 20cm x 20cm 20cm x 30cm	Absorbent dressing (Protease modulating matrix)	Hydration response technology superior absorbent dressing binding large quantities of fluid under compression. Can be used as a primary dressing for highly exuding wounds. Soft debridement, removing slough.	Up to 4 days	£2.44/12.20 £4.04/20.20 £7.59/37.95 £10.82/54.10	5 5 5 5
Cutimed Sorbion Sachet XL®	25cm x 45cm	Exudate management	Same as Cutimed Sorbion Sachet Extra	Up to 4 days	£16.24/£81.20	5
Prontosan® irrigation solution	350ml	Wound cleaning (For use in lymphoedema only)	Cleansing irrigation. Can be left on the wound bed. Contains 2 active ingredients which disrupt and prevent biofilm from the wound bed, cleanses and removes slough, devitalised tissue, and other debris.	350ml bottle will last in line with clinic usage.	£4.95/£4.95	1
UrgoClean Ag®	10cm x 10cm 15cm x 20cm	Antimicrobial dressing SILVER	Hydr-desloughing, polyabsorbent cohesive fibres that can absorb. Has silver-impregnated micro-adherent healing matrix.	1-2 days	£2.04/£20.40 £4.64/£23.20	10 5
UrgoStart Plus Border®	8x8cm 10x10cm 13x13cm 15x20cm	Absorbent dressing (Protease modulating matrix)	Absorbent fibres trap slough keeps wound bed clean. Healing matrix reduces NMP levels and restores balance. Closes wound quicker	Up to 7 days	£5.26/£52.60 £6.23/£62.30 £8.71/£87.10 £11.21/£112.10	10 10 10 10
Urgostart Plus Pads®	10x10cm 15x20cm	Absorbent dressing (Protease modulating matrix)	Traps slough & maintains a clean wound. Absorbs exudate, used on all healing stages, maintains a moist environment. Reduces healing wound. Used under compression. Low to highly exuding wounds.	Used in line with exudate	£5.07/£50.70 £11.36/£113.60	10 10

Log of changes:

Version	Products	Rationale
V.1	Cutimed Debriclean	UCS Debridement pad is on combined formulary as 1 st line. There's a need for both products due to the overall skin condition. Conditions like severe hyperkeratosis: Debriclean works better for lymphoedema patients with advanced skin changes in line with Lymphoedema. The lopped monofilament fibres and abrasive fibres containing a surfaculant remove greater skin conditions.
V.1	Prontosan irrigation solution	In the lymphoedema setting, cleaning a chronic wound with tap water can be problematic; Water does not remove the biofilm from a wound. Any wound that does not move on after 4 weeks requires further increased wound bed preparation. It is a Cost effective product to be held in clinic. To be used in the clinic only, not for self-care.
V.1	Absorbent Dressings Cutimed Sorbian, UrgoStart plus pads and UrgoStart plus border	Differences lie in their capacity to hold fluid. These are used accordingly as to how wet/ lymphorrhoea is from the skin.